

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandra, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/607,019	06/29/2000	Richard A. Mazur	47171-00268	1372	
7590 11/12/2003.			EXAM	EXAMINER	
STEPHEN G. RUDISILL			SHAPIRO, JEFFERY A		
JENKENS & GILCHRIST 225 WEST, WASHINGTON STREET			ART UNIT	PAPER NUMBER	
SUITE 2600			3653	·-	
CHICAGO, IL	60606		DATE MAILED: 11/12/2003	DATE MAILED: 11/12/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/607,019	MAZUR ET AL.			
		Examiner	Art Unit			
		Jeffrey A. Shapiro	3653			
Period fo	The MAILING DATE of this communication appoint Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).  Status						
1)[🛛	Responsive to communication(s) filed on <u>02 N</u>	lovember 2003 .				
2a)	This action is <b>FINAL</b> 2b)⊠ Thi	s action is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
<i>,</i> —	4)⊠ Claim(s) 169-187 and 189-200 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.					
,						
·	Claim(s) <u>169-187 and 189-200</u> is/are rejected.					
•	☐ Claim(s) is/are objected to. ☐ Claim(s) are subject to restriction and/or election requirement.					
•	ion Papers	oloonor roquirollic				
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
14)⊠ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language provisional application has been received.  15)☑ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachment(s)						
2) Notic	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) 32	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)			

Application/Control Number: 09/607,019 Page 2

Art Unit: 3653

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 10/16/03 has been entered.

### Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 169-187 and 189-200 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hatanaka et al (Japanese Patent Publication No. 61-14557). The Hatanaka discloses Applicants' claimed system as follows.

As described in Claims 169-187 and 189-200;

a. receiving a stack of bills in an input receptacle (2) of the evaluation device (1) (see also p.4, lines 9-14);

Art Unit: 3653

b. transporting the bills, one at a time, from the input receptacle to one of two or more output receptacles of the currency evaluation device (see p.4, lines 9-14 and p.7, lines 19-22);

- c. counting and determining the denomination of the bills utilizing a detector (111) positioned along a transport path between the input receptacle and the output receptacles (see p. 7, lines 8-16);
- d. determining whether the bills meet or fail to meet a non-piece count related criterion; (Note again, p.7, lines 9-12, which states that the detection unit (111) detects patterns optically. Note also p. 8, lines 1-10, which states that a "mistaken note of paper currency" is flagged as an error when a no-denomination signal is output. No denomination is construed as a non-piece count criterion, since it is not related to the counting of the bills, but with how the bills look based on pattern recognized on the surface of the bill. Note also that the specification of Hatanaka describes what is construed as a piece count criterion, being detected by counting roller (43). See p.6, lines 17-22. Note also Fujii et al (UK Patent Application, GB 2088832A), which mentions several non-piece count criterion, such as abnormal bank note length, abnormal photopattern, on p.1, lines 105-121 of the specification.)
- e. halting the transporting when a bill meets or fails to meet the criterion, a bill meeting or failing to meet the criterion being termed a flagged bill (see Hatanaka, p.7, lines 19-26, p.8, lines 1-10, p.11, lines 13-

Art Unit: 3653

16, p.13, lines 22-26 and p. 14, lines 1 and 2, noting that if the bill does not have a surface pattern that matches the stored pattern, the transporting is halted, thus keeping the bill in the conveying path at a particular location);

- f. wherein the halting is performed such that the flagged bill is positioned as the last bill in one of the output receptacles; (See, for example, p.11, lines 13-16, noting that if a mismatch between the stored pattern and the actual detected pattern on the bill, that the conveyor unit is halted, with the erroneous/flagged note being ejected through "a discharge slot", as described on p. 7, lines 23-25, construed as meaning another separate discharge than discharge slot (22). The erroneous bill is discharged as the last bill transported before the device is shut down.

  Note also that it would have been obvious for one ordinarily skilled in the art to direct such a bill to any discharge, for example, the discharge where counted bills had been collected, thus making the erroneous bill the last bill on the pile of bills, the counted bills being below the erroneous bill.)
- g. wherein bills whose denomination are determined are delivered to a first set of one or more of the output receptacles and wherein bills whose denomination are not determined are directed to a second set of one or more of the output receptacles, a bill whose denomination is not determined being termed a no call bill, the output receptacles of the

Page 5

Application/Control Number: 09/607,019

Art Unit: 3653

second set being different from the output receptacles of the first set (again, note discussion in "f", above);

- h. determining whether a bill is a stranger bill (again, see above discussion in "a-f");
- i. determining whether a bill is a suspect bill; (See p.11, lines 8-16, noting that detection of a "wrong denomination" bill appears to meet Applicants' definition of a suspect bill in Applicants' specification at p.30, lines 18-24, also noting that it would be obvious to use any of the extracted features of the actual pattern of the bill in the system of Hatanaka to determine the genuineness of the bill. Note also that a set can be construed as consisting of one output receptacle.)
- j. wherein bills whose denomination are determined are delivered to a first set of one or more of the output receptacles, the output receptacles of the first set being different from the output receptacles of the second set (again, see prior discussions in "a-f" above);
- k. determining whether a bill is a no call bill (again, see prior discussions in "a-f", above);

(Note that it would have been obvious to provide a transportation rate of 800 bills per minute. See, for example, Winkler (US 5,394,992), col. 5, lines 53-54, having a speed of 2000 documents per minute and McInerny (US 5,761,089), col. 17, lines 50-53, having a speed of either 1200 or 600 documents per minute. Based on this evidence, it would have been

Art Unit: 3653

obvious to one of ordinary skill in the art to create a bill counting machine with a document speed of 800 bills per minute, as the particular situation would require, or simply to make the machine count bills at a faster, more economical rate.)

- I. a third output receptacle; (Note that it would have been obvious to provide as many outputs as one would require to handle the volume of bills expected to be counted, as one ordinarily skilled in the art would consider that overflow amounts of counted bills might require handling by the machine. Note also, the above discussion in "f" above, for example, where a separate discharge slot is mentioned for directing an erroneous bill into another, second discharge slot.)
- m. generating a characteristic information output signal in response to detected characteristic information via the detector (see above discussion, in "a-f);
- n. producing tracking signals in response to the physical movement of bills; (See p.7, lines 16-19 and p.8, lines 1-15, noting that detection unit (122) detects bills located in loading unit (2) and detection unit (129) detects bills conveyed over the paper currency collection unit (23). These detectors send signals to the main control unit (121), which in effect, tell the control unit where the bills are.)
- o. determining the face orientation of the bills; (Note that it would have been obvious to one ordinarily skilled in the art to use the orientation

Art Unit: 3653

of the bills as a criterion, as the actual detected surface pattern of the bill is stored in the system controller and compared to the reference pattern. If the pattern is not correct in any way, it is obvious for one ordinarily skilled in pattern recognition to determine that that particular feature is not a match, therefore the bill is classed as erroneous or a "no-call" bill. A bill fed into the machine with the wrong length would be expected to have a different pattern detected than one fed into the machine with the lengths consistent with the reference pattern. See also the Fujii patent '832, cited above.)

- p. the second set of output receptacles includes a receptacle designated as a no call output receptacle (again, note that the "another discharge slot" may be construed as an output that receives no call bills);
- q. the halting occurs after a no call bill has been delivered to the no call output receptacle (again, see discussion in "a-f" above);
- r. the halting occurs with the no call bill being positioned at an identifiable location in the no call output receptacle (again, see "a-f" and "n" above, noting that the contents of the output receptacle in Hatanaka is sensed or tracked);
- s. the halting occurs with the no call bill being the last bill transported to the no call output receptacle, wherein the criteria is the denomination of a bill and wherein a bill failing to meet the criterion of having its denomination determined is a flagged bill (see "a-f" discussion above);

Application/Control Number: 09/607,019 Page 8

Art Unit: 3653

t. the halting occurs before a no call bill has been delivered to the no call output receptacle (see "a-f", discussed above);

- u. the halting occurs with the no call bill being located at an identifiable location within the transport path (note, as described previously, that the erroneous/no call bill, when halted, is located at an identifiable location in the conveying path, after which, the conveyor control directs the located erroneous bill to the discharge slot);
- v. the halting occurs after the no call bill has been delivered to an output receptacle of the second set; (Note that it would have been obvious to halt the machine completely after the erroneous/no call bill is output to the second discharge slot. Note also that the cited passages of Hatanaka describe the machine halting after the no call bill is finally transported.)
- w. the halting occurs with the no call bill being positioned at an identifiable location in an output receptacle of the second set (again, note that the system of Hatanaka detects the contents of the discharge slots and associated receptacles);
- x. the halting does not occur after a no call bill or a stranger bill has been delivered to an output receptacle of the second set (note that it would have been obvious to continue the operation of the machine of Hatanaka, to count bills after the erroneous/no call bill is discharged, the

Art Unit: 3653

other bills being placed either in the original discharge slot and receptacle or in a third discharge slot or receptacle);

y. the counting and determining of the currency bills is performed independent of the size of the bills (see "a-f" above, noting that it would have been obvious to use portions of the bill pattern besides size to count and determine the currency genuiness of the bills, since size is only one of many features which can be obtained from the optical scan of the bill surface);

## Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

5. Claims 169-187 and 189-200 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1 and 164-327 of both copending Application No.'s 09/541,170 and 09/542,487; and Claims 169-187, 189-190, 192-201, 221-224, 234-248, 250-257, 268-272, 277-285,

Art Unit: 3653

301-305, 312-314, 317-319, and 322-329 of copending Application No. 09/611,279. Although the conflicting claims are not identical, they are not patentably distinct from each other because they are directed toward the following.

Page 10

a method and apparatus for discriminating and counting currency bills including receiving a stack of bills, transporting the bills, counting and determining the denominations of the bills utilizing a detector, determining whether the bills fail or meet certain criteria, halting the transporting when a failing bill is identified, and placing the failed bill as the last bill in one of the output receptacles.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

## Response to Arguments

6. Applicant's arguments with respect to Claims 169-187 and 189-200 have been considered but are most in view of the new ground(s) of rejection. See discussion in "a-y" above.

#### Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Nao et al, (US 4,487,306), figure 14, col. 1, lines 50-67 and col. 2, lines 1, 2; Cargill (US 5,236,072), abstract; Williams (US 4,429,991), abstract and col. 2, lines 34-58; Kobayashi et al (US 4,880,096), abstract, col. 1, lines 66-68 and col. 2, lines 1-3 are cited as examples of bill discriminators which detect bill dimensions in an optical pattern recognition environment. Hatanaka et al Japanese Patent Publications

Art Unit: 3653

54-71674 and 54-71673 are cited as other Hatanaka publications which may read on the claims as currently written.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey A. Shapiro whose telephone number is (703)308-3423. The examiner can normally be reached on Monday-Friday, 9:00 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald P. Walsh can be reached on (703)306-4173. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-1113.

Jeffrey A. Shapiro

Page 11

Examiner
Art Unit 3653

November 2, 2003

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600